

SYSTEM FOR ONLINE CREATION, PLAYING AND ADMINISTERING OF USER DEFINED PUZZLES

5 This application claims the benefit of provisional application serial no. 60/171,165 filed on
December 16, 1999.

BACKGROUND OF THE INVENTION

1. Field of the Invention

10 The present invention relates generally to puzzles and more specifically to a system that
allows users to create, play and access puzzles online.

2. Description of the Prior Art

15 Puzzle games which test a user's mental acuity have long provided an educational activity
and entertainment to millions of people. For many years, newspapers and other periodicals have
published crossword puzzles and other word puzzles as a form of entertainment for their readers.
Puzzle games have been constructed for users of varying ages and levels of knowledge. Educators
around the world use word and math puzzles as an educational tool to increase students' vocabulary
and mathematical skills.

20 Methods for creating puzzle games are well-known in the prior art. Some puzzles can even
be designed and manually constructed rather easily. Crossword or word search puzzles, however,
often require expert puzzle-construction skills. Previous inventions exist that facilitate the creation
of such puzzles with the assistance of computer software products. These software products have
made constructing, editing and playing user-defined puzzles easier and these software products are
readily accessible. The proliferation of these software products has allowed puzzle creators to utilize
more features during the creation of user-defined puzzles. For example, these software products

5 have allowed additional features to be included such as, graphical user interfaces, customizable fonts and colors, background images and print functionality. Despite the additional features now available to puzzle creators, most software products only provide means for creating one puzzle type. Consequently, users must purchase separate and multiple software products to create a variety of puzzles. A comprehensive system for creating a variety of puzzle games does not exist.

10 The continuous advancement of the computer hardware and software industry has led to numerous technological innovations that enhance business, entertainment and education. Moreover, with the advent of the Internet, resources for entertainment and education have multiplied at an exponential rate. This has resulted in the availability of a variety of puzzle games on the Internet, and more specifically, on the World Wide Web. These online puzzles are available to any user with a Web browser and Internet access.

15 Puzzles on the World Wide Web exist in many forms. The simplest form provides puzzles as standard Web content, using any combination of HyperText Transfer Protocol (HTTP), HTML Forms, HTML Frames and Illustrations or Graphics. User may view these puzzles with Web browsers which are connected to the Internet and play these puzzles by clicking on hyperlinks or submitting answers through basic HTML Forms. Users can also print a hard copy of the puzzle for their entertainment. These puzzles, however, are limited in their interactivity and complexity due to the nature of standard Web content and limitations of HTML. For example, playing HTML puzzles involves the continuous interaction between the Web browser and the Web server. This results in an efficient and non-dynamic system for playing a puzzle on line. Another disadvantage with HTML-based systems involves creating puzzles. HTML does not provide the capability of

20

25 instantaneously generating a puzzle based on user-defined data. Specifically, Web servers do not

5 have the functionality to interpret data and dynamically generating an output based on information
on information received from the Web browser. In order to provide HTML-based puzzles over the
Internet, the puzzle must be created using existing puzzle creation technology and then translated
into HTML. Subsequent advancements in Internet, software tools and technology have provided
Internet users with more complex and dynamic capabilities for viewing, editing and exchanging Web
10 content.

Software developments such as Java and ShockWave are a few of the technological
advancements which have enriched the content of the World Wide Web. These improvements have
improved the ability to deliver multimedia over the Internet. The ability to deliver multimedia via
the Internet had previously been restricted by band width limitations. With the implementation of
15 data compression schemes, multimedia files can now be viewed over the Internet with few or no
complications. Java, which was developed by Sun Microsystems, refers to the programming
language used to develop Java applets. Applets are compact application programs that are
downloaded from a Web server, and then executed by a Web browser to minimize the latency caused
by limited band width. All Web browsers have the capability to download and execute Java applets.
20 ShockWave, developed by Macromedia, works similarly to Java. Instead of applets, however,
ShockWave technology uses compact programs called movies. These movies are downloaded to
the Web browser, where a ShockWave plug-in executes the movie for a user to view. Aside from
adding a multimedia dimension to standard Web pages, Java and ShockWave also extend the Web
sites interactivity. These small but robust applications provide for a complex level of logical and
25 interactivity within the browser. On the other hand, HTML-based systems are capable of performing
hyperlink requests, image display and page formatting. These improvements and the other plug-ins

5 which have been developed have dramatically increased the capabilities of the Internet and have
brought Web-based puzzles to a higher level. Plug-in applications are computer programs which
run concurrently with Web browser software to extend its capabilities beyond merely displaying
standard HTML pages. For example, the ShockWave browser plug-in developed by Macromedia
Corporation allows Web browsers to display interactive multimedia content such as sound and
10 animation. Other plug-ins have been developed by Microsoft, Abode, Real Media and others.
Currently, Java applets are being used to deliver playable puzzles on the World Wide Web.
Additionally, numerous newspapers, periodicals and other companies have published daily or weekly
crossword puzzles on their Web sites. Because Java allows users to dynamically exchange
information with a Web site, users can play or solve crossword puzzles entirely on line using mouse
15 clicks and keyboard inputs. Another feature of the Java-based puzzles is the dynamic feedback
provided by an applet without communicating with the Web server. For example, a user can be
instantaneously notified of a incorrect answer without exchanging any information with the Web
server. Constructing puzzles and games by using Java applets requires software development tools
and advanced programming skills. Once the applet is developed, it must be installed onto a Web
20 server that is connected to the Internet. These skills and processes are uncommon to the average
Internet user and present a challenging obstacle to anyone who wishes to create a Java-based puzzle.

ShockWave software has also been used to develop various puzzles and games for use on the
Internet. ShockWave puzzles operate similarly to Java-based puzzles, but can only be viewed by
a Web browser using the ShockWave plug-in. The creation of ShockWave puzzles requires two
25 main steps. The first step involves using Macromedia Director, a popular authoring software
product, to create a Director movie that displays the puzzle. Then, the Director movie is translated

5 into the Internet-ready ShockWave format. Although the necessary programming skills are not as
demanding as those associated with Java applets, the skills needed to create Director movies may
still be too advanced for the average user. Creators are also faced with the same obstacles discussed
above in regard to creating Java-based puzzles. The advent of Java and ShockWave technology has
undoubtedly brought a new dimension to Web-based puzzles with features such as, multimedia
10 capability, complex interactivity and Internet delivery. For example, these additional features have
yielded numerous puzzles that can be played via the Internet from anywhere in the world. However,
currently there is not a user-friendly system which allows an average user to create the type of online
puzzles discussed above.

15 There are also several online puzzle-creating systems and methods which combine one or
more of the previously discussed technologies. For example, Internet Crossword Creator by Centron
Software, uses a similar system to that of Macromedia. After users install the software onto a
computer, the software employs a computerized algorithm to generate a crossword puzzle based on
user-defined data. A user can then utilize the software to convert the generated puzzle into a Java
applet. There are other variations of this method which involve a plug-in or player module. As for
20 the other puzzle software products, the Internet Crossword Creator only creates one type of puzzle.
Although this software simplifies the creation process of online puzzles, additional steps must be
performed in order to publish the puzzle on the World Wide Web for Internet distribution. The
requirements for publishing Web pages on the Internet vary. At a minimum, a publisher must
employ a Web server or have publishing access to a Web server. While there are companies that
25 offer services that range from designing Web sites to maintaining and hosting Web sites, distributing
a puzzle over the Internet can still be problematic. Note that these publishing obstacles apply to any

5 type of Web content for which a user intends to distribute via the Internet, including Java,
ShockWave and standard HTML pages.

From the foregoing, it is seen that a need remains for an improved system and method for
generating, editing and allowing users to access puzzles. In particular, a need exists for a system
and method for allowing users to create, edit, store and access computer games, such as puzzles,
10 via a remote computer.

SUMMARY OF THE INVENTION

To overcome the disadvantages noted above, the present invention is directed to a system
and method for allowing a user to create, edit, store and access computer games, such as puzzles,
via a remote computer in conjunction with the Internet. More specifically, the user may access
15 the online puzzle system with the remote computer which includes a Web browser. The puzzle
system may allow user to employ a plurality of functions, such as creating, editing, storing and
accessing puzzles, by presenting a plurality of commands, in the form of Web site hyperlinks, to
the Web browser. Once the user selects one of the commands or hyperlinks, a correlating Web
page may be accessed and the Web page may then request the game data needed to accomplish
20 the corresponding function. The puzzle system may then apply the design rules to the game data
and dynamically generate a computer game which can be played by the user via the Web browser
in conjunction with the remote computer. The puzzle system may utilize a Web server and an
application server module to enable the puzzle system to exchange game data between the remote
computer and the puzzle system.

25 A better understanding of the objects, advantages, features, properties and relationships
of the invention will be obtained from the following detailed description and accompanying

5 drawings which set forth an illustrative embodiment and which are indicative of the various ways
in which the principles of the invention may be employed.

BRIEF DESCRIPTION OF THE DRAWINGS

For a better understanding of the invention, reference may be had to a preferred embodiment
shown in the following drawings in which:

10 FIG. 1 shows a block diagram of an exemplary system for allowing users to create, edit,
store and access computer games, such as puzzles, via a remote computer;

FIG. 2 shows a block diagram of the remote computer shown in Fig. 1 and its interaction
with the server computer;

15 FIG. 3 shows a more detailed block diagram of the application server module as shown in
Fig. 1 and its interaction with the application server database;

FIG. 4 shows a flowchart depicting an exemplary method for allowing users to create, edit,
store and access computer games, such as puzzles, via a remote computer;

FIG. 5A shows a flowchart depicting an exemplary method for allowing a user to execute
the PLAY PUZZLE function.

20 FIG. 5B shows a flowchart depicting additional steps in the exemplary method for allowing
a user to execute the PLAY PUZZLE function;

FIG. 6A shows a flowchart depicting an exemplary method for allowing a user to execute
the CREATE PUZZLE function;

25 FIG. 6B shows a flowchart depicting additional steps in the exemplary method for allowing
a user to execute the CREATE PUZZLE function; and

5

FIG. 7 shows a flowchart depicting an exemplary method for allowing a user to execute the EDIT PREVIOUS PUZZLE function.

DETAILED DESCRIPTION OF THE INVENTION

10

While this invention is susceptible of embodiments in many different forms, there is herein described in detail, a preferred embodiment of the invention with the understanding that the present disclosure is to be considered as an exemplification of the principals of the invention and is not intended to limit the broad aspects of the invention to the embodiments illustrated herein.

15

Turning now to the figures, wherein like reference numerals refer to like elements, there is illustrated an on-line puzzle system 10 for allowing a user to create, edit, store and access computer games, such as puzzles, via a remote computer.

20

FIG. 1 shows a block diagram of the online puzzle system 10 in accordance with the present invention. Specifically, this illustration shows the software modules that interact with each other in order to provide the functions necessary to allow a user to create, edit, store and access puzzles via the system. As is well known in the art, the on-line puzzle system 10 is comprised of a server computer 20 and a plurality of remote computers 22 which are interconnected by and capable of exchanging game data 24 via the Internet 26 or a similar network of computers. The server computer 22 is comprised of a plurality of databases 28, an application server module 30, and an application server database 32. To connect the server computer 20 to the Internet, the server computer 20 may also include a modem 34 or similar device. The modem 34 may also be connected to the server computer 20 according to existing standards, such as via a serial port and a system bus, and may allow data to be accessible to users via the Internet 26. More particularly, the server computer 20

25

5 includes an HTML database 28a, a multimedia database 28b, an application server script database 28c, a shockwave database 28d and an embedded HTML database 28e.

From the user perspective, the puzzle system 10 exists as a Web site 36 on the Internet 26. The Web site 36 is accessible by most standard Web browsing software. Web browsers are software applications which allow users to interface with the Internet 26. The Web browser provides audio and visual information, or content, to the user and is also capable of linking users to other Web sites 36 by accessing hyperlinks, or similar tools. Thus, the Web browser allows the user to hear and see multimedia content on the Web sites 36 and to navigate within the Internet 26 from one Web site to another.

As is well known in the art, the remote computer 22 shown in FIG. 1 may also include a Web browser 38 which enables the remote computer 22 to display the Web site 36 embodying the puzzle system 10. Web browser software, such as Netscape Navigator or Microsoft Internet Explorer, may be stored on the remote computer 22 and the remote computer 22 may be connected to the Internet 26. The system 10 may further require a Web browser 38 that includes a plug-in module that allows the browser to display multimedia files, such as Macromedia Shockwave. A plug-in module is a software application that runs concurrently with Web browser software and that extends the capabilities of the Web browser 38 beyond being able to display standard HTML pages. Many recent versions of Web browser software are released with the Macromedia Shockwave plug-in module already installed. The Web browser 38 may be connected to the server computer 20 via the Internet 26. The Internet 26 is a global computer network that users can access through a variety of means. Some means for accessing the Internet 26 include using a modem 34 in conjunction with

5 a standard phone line or using a Local Area Network (LAN) that directly interfaces with the Internet
26.

As shown in FIG. 1, the server computer 20 may be comprised several databases 28 which
store corresponding files which are used to provide the Web site content for the puzzle system 10
available to users via the Web browser 38 of the remote computer 22. More specifically, as
10 discussed above, the server computer 20 includes an HTML database 28a, a multimedia database
28b, a shockwave database 28c, an embedded HTML database 28d and an application server script
database 28e. These database may store corresponding HTML files, multimedia files, shockwave
files, embedded HTML files and application server script files in each of the respective databases
28. As is well known in the art, these files are either transferred to and accessed by the Web browser
38 or executed by the application server module 30. Application server script files are similar to
15 HTML files in that they may contain HTML functions and are viewable by standard Web browsers,
however, application server script files may also contain Cold Fusion functions which are only
readable by the application server module 30 of the puzzle system 10.

Cold Fusion Software, by Allaire Corporation, is one of several software products developed
20 for application servers which expand the functionality of the server computer 20. In the present
invention, application server script functions are used to transfer game data 24 between the Web
server module 40 and application server module 30 which includes an application server database
32 that may be comprised of user data, word dictionary data, puzzle data and other data. The
application server module 30 works in tandem with the Web server module 40 and the other
25 databases to provide extended functionality and database connectivity. For example, in addition to
storing application server script files, the application server script database 28e may also execute

5 functions such as logical operations or data manipulation which are beyond the scope of capabilities for the server computer 20 module by itself. Cold Fusion software is ODBC compliant, which allows the software to communicate with the databases. The aforementioned databases 28 and respective files are stored on the server computer 20 and accessible via the Internet 26.

10 The application server database 32 may also include a relational database that stores puzzle data and user data. Using standard data processing and storage techniques, the puzzle data and the user data may be linked together to enhance the ability to search for puzzle data that is associated with a specific user. The application server database 32 is accessed by the application server module 30 to perform a variety of the system's 10 functions, such as creating, editing, storing and accessing puzzles. The application server module 30 communicates with the application server database 32 to dynamically execute functions. The application server database 32 is also stored on the server computer 20 with the application server module 30. It should be understood by those with skill in the art, however, that the Web server module 40, the application server module 30 and the application server database 32 may also be housed within separate computers.

15 20 FIG. 2 shows a block diagram illustrating the Web browser 38 and its interaction with the server computer 20. As is known in the art, the puzzle system 10 employs a graphical user interface which is embodied within the Web browser 38 and which is accessible through standard Web browsing procedures. The Web browser 38 may interact with the server computer 20 in accordance with standard Internet protocols. A user may first connect to the system 10 by logging on to the Internet 26 with the remote computer 22 and by connecting to the Web site 36 for the system 10 located at the Uniform Resource Locator ("URL") for the Web site 36, i.e., "http://www.apte.com/puzzles/". After the user enters the URL for the Web site 36, the Web

5 browser 38 may submit a request to the server computer 20 which resides at the URL entered by the
user. Once located, the server computer 20 returns the Web site 36 content to the Web browser 38
of the remote computer 22. Upon receipt, the Web browser 38 may display the graphical and audio
content for the Web site 36, which may contain hyperlinks to additional Web pages that collectively
provide an interface for all of the functions for the system 10. Hyperlinks are Web addresses that
10 are embedded in a word, phrase, icon or picture and that are activated when the user selects the
highlighted hyperlink. When the user selects a hyperlink, the Web browser 38 retrieves the Web
page associated with the selected hyperlink and the Web browser 38 displays the Web page. As
shown in FIG. 2, the Web browser 38 allows the remote computer 22 to submit requests to the Web
server module 40 and receive files or data from the server computer 20. The server computer 20
15 processes requests from the user by transferring files from its software modules or requesting files
or data from the application server module 30. If the server computer 20 requests files or data from
the application server module 30, the application server module 30 will process the request and
provide the appropriate output to the server computer 20.

FIG. 1 shows the server computer 20 and its interaction with the various databases 28. In
connection with the present invention, users may submit a variety of requests to the server computer
20. Some Web browser requests are hyperlinks to other Web pages of the system 10. These
hyperlinks may also embody functions and allow the user to select particular functions by activating
a correlating hyperlink. For example, assume hyperlink X accesses one of the functions for the
system 10, which is displayed by a graphical user interface, i.e., Web page Z. By clicking hyperlink
25 X from the home page, the user may trigger the Web browser 38 to submit a request to the server
computer 20. This request may then be forwarded to the Web server module 40 which interprets the

5 request and returns Web page Z to the Web browser 38. The Web pages for the puzzle system 10
are comprised of HTML commands, application server script commands or combinations thereof.
The HTML commands may be processed by the server computer 20. The application server script
commands may be passed to the application server module 30. After passing the application server
script command to the application server module 30, the application server module 30 may process
10 the specified application server script command. Then, the application server module 30 generates
an output in a form that is readable by the server computer 20. The server computer 20 then receives
and processes the output, resulting in the transfer of a correlating Web page to the Web browser 38.
Embedded within the Web pages are a variety of elements such as images, audio clips and
Shockwave files. The server computer 20 transfers these files to the Web browser 38 according to
15 the instructions provided by the Web page. Selection of a Web page or function by the remote
computer 22 allows the online puzzle system 10 users to create, edit, store and access puzzles
electronically via the Internet 26.

The primary function of the server computer 20 is to process standard Web browsing
requests. The primary function of the application server module 30 is to store and provide puzzle
data and user data to the user and to process application service script commands. As previously
mentioned, application server script commands extend the functionality of the puzzle system 10 by
processing logical operations, such as IF/THEN/ELSE statements and by providing database
connectivity. Standard Web server modules are not able to process logical operations or to
dynamically process and store user provided information without utilizing application server script
25 commands. Therefore, as is known in the art, the application server script database 28e may store
application server script commands. User registration for the system 10 is a process that requires

5 the advanced features provided by application server script commands. For example, when a user
chooses to register for the system 10, the Web server returns the registration Web page to the Web
browser 38. The registration Web page may be comprised of embedded HTML and CFML code.
Upon receipt, the Web browser 38 processes the HTML commands and converts them into a
graphical user interface format. When the user enters puzzle data or user data into the registration
10 Web page, the Web browser 38 returns an application server script command along with the data
back to the server computer 20. The server computer 20 may then pass the application server script
command to the application server module 30 which will execute the request. After receiving the
user registration data, the application server module 30 first checks the submitted data for any errors,
using logical operations. If the data is valid, the application server module 30 may then open the
15 database of the system 10 and create a new record. Upon completion, the application server module
30 generates an output in HTML format that confirms the new registration. This output is returned
to the server computer 20 and then back to the user via the Web browser 38.

20 Figure 3 shows a block diagram illustrating the application server module 30 and its
interaction with the application server database 32. As discussed above, the application server
module 30 adds database connectivity to the system 10. For example, in the preferred embodiment
of the present invention, the database stores puzzle data and user data in tables along with word
dictionary data and other data. Application server script commands provide for the dynamic
allocation and manipulation of the data stored in the database. For example, the user may wish to
edit a previously created puzzle or game. In this instance, after submitting login information, the
25 application server module 30 will employ the user data provided during the login procedure to
extract puzzle data from the database. The puzzle data is linked to the user's data. Once the user

data is processed by the application server module 30, the application server module 30 generates a list of the user's previously created puzzles. The list of puzzles, which is in HTML-based Web page format, is passed to the Web server module 40 and then forwarded to the Web browser 38.

FIG. 4 shows a block diagram illustrating the relationship between the Web pages that make up the Web site 36 or graphical user interface of the puzzle system 10. The Web site 36 for the system 10 may be comprised of a collection of Web pages that perform a variety of functions described herein. Beneath the graphical user interface level lies the skeleton of the system 10, i.e., the interconnected software modules and databases 28 described above and shown in FIGS. 1 through 3. FIG. 4 also illustrates the organization and interrelationship between the Web site 36, the Web pages and the hyperlinks that connects each of these Web pages. Each block shown in FIG. 4 is a graphical representation of a Web page written in HTML and or CFML. Some components represent a Web page which includes numerous application server script commands that function together. For example, a user must first connect to the graphical user interface or Web site 36 of the puzzle system 10. Once the user accesses the Web site 36 of the puzzle system 10, the user can select a hyperlink to the Play Puzzle Web page, the Edit Puzzle Web page, or the Create Puzzle Web page. If the user chooses the Play Puzzle hyperlink, the system 10 returns a Web page that provides the user with a choice between the Puzzle Library Web page or the "Just For You" Puzzles Web page. Selecting the Puzzle Library hyperlink returns a list of generic puzzles that are available to any user. These puzzles are sorted by theme or by puzzle type. After the user selects a specific puzzle to play, the system 10 returns the puzzle to the user and allows the user to play the puzzle online. Selecting the "Just For You" hyperlink allows the user to play a puzzle created by another user. For example, if a student wanted to play a teacher's previously created puzzle, the student

5 would select the "Just For You" link. The system 10 then requests the creator's/ user's unique
identifier variable designated during the registration process. The present embodiment of this
invention uses the creator's e-mail address as the identifier variable. Hence, the student submits their
teacher's email address and the system 10 returns a list of puzzles created by the teacher. The student
then selects a puzzle from this list and plays the puzzle online. As shown in FIG. 4, the system 10
10 provides three major functions: Play Puzzle, Create Puzzle and Edit Puzzle.

FIGS. 5A and 5B show the process steps for accessing the system 10 and playing a puzzle.
The process begins with the user entering the HTTP address for the Web site 36 and thereby
connecting to the Web server. This results in the Web server returning the Web site 36 for the puzzle
system 10 to the Web browser 38. The Web browser 38 displays the Web site 36 which contains
hyperlinks to other Web pages. One of the available hyperlinks is entitled Play Puzzle and as shown
in Fig. 5A and 5B, the user selects the Play Puzzle hyperlink. The Web server receives the request
and returns the main Play Puzzle Web page. Once the user accesses the main Play Puzzle Web page,
the user can choose to play a puzzle from the generic puzzle library or a puzzle created by another
user, referred to as a "Just For You" puzzle.

20 Puzzles in the generic puzzle library are playable by any user and are provided by the puzzle
system administrator. These puzzles can be sorted by subject, theme or puzzle type. If the user
chooses to play a puzzle from the generic puzzle library, the server computer 20 returns a Web page
that lists the sorted categories of available puzzles. Selecting a puzzle type, for example "crossword"
returns a list of available puzzles of the specified type. Selecting a puzzle theme, for example
25 "Presidents of the USA" returns a list of available puzzles involving the specified theme. This list

of playable puzzles contains hyperlinks and application server script commands that are executed when the user selects a puzzle to play.

If a user selects a "Just For You" puzzle, the server computer 20 returns a Web page that asks the user for the creator's/user's identifier variable. As mentioned above, the present invention uses the creator's e-mail address as the identifier variable used to extract "Just For You" puzzle data from the database. Once the creator's e-mail address is submitted through the Web page, embedded application server script commands return the data to the application server module 30. Then, the application server module 30 opens the application server database 32 and extracts the necessary puzzle data which is linked to the creator's e-mail address. Using this data, the application server module 30 generates a Web page listing the names of puzzles created by the user whose e-mail address was submitted. This Web page is returned to the server computer module and then back to the Web browser 38. This list of playable puzzles contains hyperlinks and application server script commands that are executed when the user selects a puzzle to play.

FIG. 5B shows additional steps for selecting and playing a puzzle. In the present example, the user chooses Puzzle X from the list of playable puzzles. Clicking the Puzzle X hyperlink causes application server script commands to be sent back to the server computer 20. The application server module 30 uses the Puzzle X identifier to extract all data linked to Puzzle X from the database. The application server module 30 generates an output containing Puzzle X data and an embedded Shockwave movie that is capable of generating a playable version of Puzzle X. The Shockwave movie uses the data to generate Puzzle X dynamically. The output is then returned to the server computer 20 and Web browser 38 as a Web page and displayed to the user by the Web browser 38. Upon receipt, the Web browser 38 identifies Shockwave content contained within the Web page.

5 The Shockwave plug-in loads the playable puzzle onto the Web browser 38 and then displays the
playable puzzle.

FIGS. 6A and 6B show the process steps for accessing the system 10 and creating a puzzle.

10 The process begins with the user entering the HTTP address for the system 10 and connecting to
the server computer 20. Then, the server computer 20 returns the Web site 36 to the Web browser
38. The Web browser 38 displays the Web site 36 to the user which contains hyperlinks, including
a hyperlink entitled Create Puzzle and as shown in FIGS. 8A and 8B, the user selects the Create
Puzzle hyperlink. The Web server receives the request and returns the main Create Puzzle Web
page. Next, the system 10 requires the user to register by entering a user name and password before
allowing the user to access the Create Puzzle function. If the user is not registered with the system
10, the main Create Puzzle page offers a hyperlink to the registration Web page(s). When selected,
the Web server returns a sequence of Web pages that collect user data from the user via the Web
browser 38. Application server script commands that are embedded within these registration Web
page(s) return the submitted user data to the application server. The application server module 30
then processes the application server script commands and opens the application server database 32.
20 Once the application server database 32 is opened, the application server module 30 creates a new
user record.

After the registration process, the user can proceed with the Create Puzzle function by
logging-in to the system 10. At the Create Puzzle login page, the user submits their previously
established username and password. The application server module 30 receives the username and
25 password and verifies the validity of the username and password. Once verified, the system 10
returns the main Create Puzzle Web page. The main Create Puzzle Web page lists a variety of

5 available puzzle types that the user can select and create. If the user selects Puzzle Type A, the
server computer 20 returns the Web page(s) that provide a template for creating the specified puzzle
type, i.e., Puzzle Type A. The user then enters the appropriate parameters for Puzzle Type A into
the template. Once the user has entered the required parameters, the puzzle data is transferred to the
server computer 20 and the application server module 30. Application server script commands are
10 used to transfer the puzzle data to the application server module 30 and the validity of the puzzle
data is verified by the application server module 30. The puzzle data is verified by checking the data
for errors and for consistency with the specifications for the system 10. If the data does not satisfy
the requirements, the system 10 returns an error Web page followed by a hyperlink to the Start Over
Web page. If the application server module 30 determines that the submitted puzzle data satisfies
the parameters required for Puzzle Type A, the application server module 30 opens the database and
stores the puzzle data in the database. This data is also linked to the puzzle creator's user data.

FIG. 6B shows additional steps in the Create Puzzle process. After storing the newly created
puzzle data, the application server module 30 generates a Puzzle Preview 42a Web page that contains
a previewable version of the new puzzle. This Web page is returned to the Web browser 38 and
allows the user to test the new puzzle. The Puzzle Preview Web page 42a functions similarly to the
Play Puzzle Web page 42b and uses the Shockwave browser plug-in module to play the puzzle. If
the user is not satisfied with the new puzzle, the user can change and resubmit the puzzle's data to
the server computer 20. Otherwise, the user can view or print the new puzzle's solution. The puzzle
solution is dynamically generated by the application server module 30 and returns the solution in
25 Web page format to the Web browser 38. The user can also select the Print Puzzle hyperlink 44a
to generate a printable version of the new puzzle. This version is also dynamically generated in Web

5 page form by the application server module 30, however, the printable version of the new puzzle is not playable online. At this point, the user has the option of returning to the main Create Puzzle Web page 42c to create another puzzle.

FIG. 7 shows the process steps for accessing the system 10 and editing a puzzle. The process begins with the user entering the HTTP address for the system 10 and connecting to the puzzle server computer 20. Then, the server computer 20 returns the Web site 36 to the Web browser 38. As shown in Fig. 7, the Web browser 38 displays the Web site 36 which contains hyperlinks 44 such as the Edit Puzzle hyperlink 44b and as further shown in FIG. 7, the user selects the Edit Puzzle hyperlink 44b. The Edit Puzzle Web page 42d is only accessible by users that have completed the registration process. Therefore, the system 10 may begin by returning the login Web page 42e, where the user submits their username and password. Once the user has logged in to the puzzle system 10, the puzzle system 10 may return a Web page 42 containing a list of puzzles that are linked to the user data specified during the login procedure. However, instead of selecting a puzzle to play, the user selects a puzzle to edit from this list. For example, if the user chooses to edit Puzzle XYZ, created during a previous Web browsing session, the application server module 30 may open the database and extract all of Puzzle XYZ's data. The application server module 30 may then generates a Web page 42 similar to the Preview Page Web page 42a used in the Create Puzzle function. This Web page is returned to the Web browser 38, where the user can change the data used for Puzzle XYZ. When finished, the user can return to the main Edit Puzzle Web page 42d to revise other previously created puzzles. The main Edit Puzzle Web page 42d also provides puzzle creators with the option of deleting any previously created puzzle. When deleting a puzzle, the application server module 30 opens the database and erases all the data linked to the puzzle marked for deletion.

5

In addition to the preferred embodiment described above, the following descriptions specify other possible embodiments or adaptations of the present invention.

10

The system 10, as described above, specifies different modules that comprise the invention. These modules describe software applications and files that can be stored on any number of physical machines and in a variety of configurations. Thus, the system 10 can be represented in various methods as long as the modules and their relationships are consistent with the preferred embodiment.

The Web server module 40 and Application server module 30 described in the present invention refer to industry standard, commercially available software products. The invention can be implemented with any Web Server Module products and any Application server module 30 products as long as they are consistent with the functionalities that are required by the system 10. This also applies to the Web browser 38.

15
20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95
100
105
110
115
120
125
130
135
140
145
150
155
160
165
170
175
180
185
190
195
200
205
210
215
220
225
230
235
240
245
250
255
260
265
270
275
280
285
290
295
300
305
310
315
320
325
330
335
340
345
350
355
360
365
370
375
380
385
390
395
400
405
410
415
420
425
430
435
440
445
450
455
460
465
470
475
480
485
490
495
500
505
510
515
520
525
530
535
540
545
550
555
560
565
570
575
580
585
590
595
600
605
610
615
620
625
630
635
640
645
650
655
660
665
670
675
680
685
690
695
700
705
710
715
720
725
730
735
740
745
750
755
760
765
770
775
780
785
790
795
800
805
810
815
820
825
830
835
840
845
850
855
860
865
870
875
880
885
890
895
900
905
910
915
920
925
930
935
940
945
950
955
960
965
970
975
980
985
990
995

The preferred embodiment of the graphical user interface for the system 10 and process flow for utilizing the system 10 is illustrated in FIGS. 4 - 7. The invention can also be recreated using variations on this basic interface design by restructuring, adding or deleting elements described in the invention. Any changes in the main user interface would subsequently affect the process flow and any diagrams that describe them.

One of the components in the preferred embodiment is a database comprised of multiple data tables and data types. This database can be constructed and organized using different variations to suit the needs of the current or alternative embodiments of the system 10. This also pertains to the inclusion of different data types that satisfy the functions of the system 10.

25

The preferred embodiment of the system 10 provides puzzles in the English Language. Because of the flexibility of the system's design, however, a French Language version of the

5 invention currently exists, and a Spanish Language version is currently in development. This mainly
involves the representation of the user interface, and not the underlying design. Therefore, the
system 10 could be modified to support any foreign language.

10 In addition, currently an alternative embodiment to this system 10 exists that allows users
to send puzzles to other users as attachments to animated greeting cards. The user creates a puzzle
as described above, then chooses from a selection of animated themes made available by the system
10. The user specifies the recipient and message contents before sending the puzzle greeting
electronically. Once notified, the recipient can connect to the system 10 to dynamically retrieve their
greeting and play the specified puzzle online. The sender can also select from a list of previously
created puzzles to send with a greeting.

The order of all steps disclosed in the figures and discussed above has been provided for
exemplary purposes only. Therefore, it should be understood by those skilled in the art that these
steps may be rearranged and altered without departing from the spirit of the present invention.

20 While the invention has been particularly shown and described with reference to a particular
embodiment thereof, it will be understood by those skilled in the art that various changes in form
and detail may be made therein without departing from the spirit and scope of the invention. For
example, the process described with respect to computer executable instructions can be performed
in hardware or software without departing from the spirit of the invention. The present embodiment,
therefore, is to be considered in all respect as illustrative and not restrictive, and the invention should
be given the full breadth of the appended claims and any equivalents thereof.